


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

Searching within The ACM Digital Library with Advanced Search: (try and ringtones) and (before search)

Found 23 of 243,693

REFINE YOUR SEARCH

[Search Results](#)
[Related Journals](#)
[Related Magazines](#)
[Related SI](#)

▼ Refine by Keywords

Discovered Terms

▼ Refine by People

[Names](#)
[Institutions](#)
[Authors](#)

▼ Refine by Publications

[Publication Year](#)
[Publication Names](#)
[ACM Publications](#)
[All Publications](#)
[Content Formats](#)
[Publishers](#)

▼ Refine by

[Conferences](#)
[Sponsors](#)
[Events](#)
[Proceeding Series](#)

Results 1 - 20 of 23

 Sort by [relevance](#)
[Save results to a Binder](#)

1 [netWorker: Volume 12 Issue 3](#)

September 2008 netWorker

Publisher: ACM

 Full text available: Digital Edition , Pdf (4.35 MB) Additional Information: [full citation](#)

Bibliometrics: Downloads (6 Weeks): 65, Downloads (12 Months): 142, Citation

2 [A taxonomy of JavaScript redirection spam](#)

May 2007 AI RWeb '07: Proceedings of the 3rd international workshop on retrieval on the web

Publisher: ACM

 Full text available: Pdf (253.89 KB) Additional Information: [full citation](#), [abstract](#), [n](#)

Bibliometrics: Downloads (6 Weeks): 9, Downloads (12 Months): 120, Citation

Redirection spam presents a web page with false content to a crawler for redirections. It redirects the browser to a different web page. Redirection is usually implemented by a timer or a harmless user ...

ADVANCED SEARCH

[Advanced Search](#)

FEEDBACK

[Please provide us with feedback](#)

Found 23 of 243,693

Keywords: JavaScript, redirection spam, web search, web spam

3 [Tracking Web spam with HTML style similarities](#)

February 2008 Transactions on the Web (TWEB) , Volume 2 Issue 1

Publisher: ACM

 Full text available: Pdf (2.83 MB) Additional Information: [full citation](#), [abstract](#), [n](#)

Bibliometrics: Downloads (6 Weeks): 54, Downloads (12 Months): 450, Citation


Automatically generated content is ubiquitous in the web: dynamic sites paradigm are good examples (e.g., commercial sites, blogs and other site software), as well as less legitimate spamdexing attempts ...

Keywords: Clustering, document similarity, search engine spam, stylor

4 [Developing mobile 3D applications with OpenGL ES and M3G](#)


July 2005 SIGGRAPH '05: SIGGRAPH 2005 Courses

Publisher: ACM

Full text available:  Pdf (9.22 MB) Additional Information: [full citation](#)

Bibliometrics: Downloads (6 Weeks): 13, Downloads (12 Months): 286, Citation

5 [Always-on information: services and applications on the mobile desk](#)

 Arjan Geven, Reinhard Seidelin, Norman Höller, Manfred Tscheligi, Markus A. September 2008 MobileHCI '08: Proceedings of the 10th international conference on interaction with mobile devices and services

Publisher: ACM

Full text available:  Pdf (809.06 KB) Additional Information: [full citation](#), [abstract](#), [n](#)

Bibliometrics: Downloads (6 Weeks): 38, Downloads (12 Months): 128, Citation

We conducted a study to the topic of this active idle screen (AIS) with r prefer. To this end, we employed card-sorting techniques for predefined personalization and customization aspects, followed ...

6 [Bringing emotion and physicality to domestic ICTs: interview with Ste](#)

Frank Vetere, Frank Feltham

June 2007 Personal and Ubiquitous Computing , Volume 11 Issue 5

Publisher: Springer-Verlag

Full text available:  Pdf (167.47 KB) Additional Information: [full citation](#), [references](#), [ind](#)

Bibliometrics: Downloads (6 Weeks): 2, Downloads (12 Months): 16, Citation (

7 [Interaction testing of highly-configurable systems in the presence of](#)

 Myra B. Cohen, Matthew B. Dwyer, Jiangfan Shi

July 2007 I SSTA '07: Proceedings of the 2007 international symposium on analysis

Publisher: ACM


Full text available:  Pdf (578.60 KB) Additional Information: [full citation](#), [abstract](#), [n](#)

Bibliometrics: Downloads (6 Weeks): 7, Downloads (12 Months): 116, Citation

Combinatorial interaction testing (CIT) is a method to sample configurat systematically for testing. Many algorithms have been developed that ci have considered the practical concerns that arise when ...


Keywords: SAT, combinatorial interaction testing, constraints, covering

8 [Emerging customer trends towards mobile music services](#)

 Pavlos Vlachos, Adam Vrechopoulos

March 2004 I CEC '04: Proceedings of the 6th international conference on E

Publisher: ACM


Full text available:  Pdf (267.91 KB) Additional Information: [full citation](#), [abstract](#), [n](#)

Bibliometrics: Downloads (6 Weeks): 15, Downloads (12 Months): 168, Citation

Elaborating on the rapid evolution of mobile entertainment services, this preferences and attitudes towards mobile music services in Europe thro approach. The study ran in Finland, United Kingdom ...

Keywords: content, customers, mobile, music, operators, professionals

9 [Sewnel - : a framework for creating services utilizing telecom function](#)

 [Sumit Mittal, Dipanjan Chakraborty, Sunil Goyal, Sougata Mukherjee](#)

April 2008 WWW '08: Proceeding of the 17th international conference on
Publisher: ACM


Full text available:  Pdf (979.74 KB) Additional Information: [full citation](#), [abstract](#), [n](#)

Bibliometrics: Downloads (6 Weeks): 22, Downloads (12 Months): 155, Citatio

With Telecom market reaching saturation in many geographies and revenue decreasing, Telecom operators are trying to identify new sources of revenue. Operators can take advantage of their core functionalities ...

Keywords: abstraction model, service composition, telecom, web 2.0

10 [Multidimensional tactons for non-visual information presentation in mobile](#)

 [Lorna M. Brown, Stephen A. Brewster, Helen C. Purchase](#)

September 2006 MobileHCI '06: Proceedings of the 8th conference on Human mobile devices and services

Publisher: ACM


Full text available:  Pdf (862.90 KB) Additional Information: [full citation](#), [abstract](#), [n](#)

Bibliometrics: Downloads (6 Weeks): 15, Downloads (12 Months): 133, Citatio

Tactons are structured vibrotactile messages which can be used for non-visual presentation when visual displays are limited, unavailable or inappropriate and other mobile devices. Little is yet known about how to ...

Keywords: non-visual interaction, tactile displays, tactile icons, tactons

11 [Sensorial interfaces](#)

 [Angela Chang, Hiroshi Ishii](#)

June 2006 DIS '06: Proceedings of the 6th conference on Designing Interactive user interfaces
Publisher: ACM


Full text available:  Pdf (771.59 KB) Additional Information: [full citation](#), [abstract](#), [n](#)

Bibliometrics: Downloads (6 Weeks): 10, Downloads (12 Months): 164, Citatio

Sensorial interfaces are based on augmenting existing physical objects and propose sensorial activity theory to relate multi-sensory mappings to the design and rituals of use. We share a design process ...


Keywords: design research, sensorial activity theory, sensorial interfaces, user interfaces

12 [A study of the short message service of a nationwide cellular network](#)

 [Petros Zervas, Xiaoguang Meng, Starsky H.Y Wong, Vidyut Samanta, Songwu](#)

October 2006 IMC '06: Proceedings of the 6th ACM SIGCOMM conference on Internet measurement
Publisher: ACM

Full text available:

 Pdf (715.14 KB)
Additional Information: [full citation](#), [abstract](#), [r](#)

Bibliometrics: Downloads (6 Weeks): 10, Downloads (12 Months): 121, Citation

In recent years, cellular networks have experienced an astronomical increase in Short Message Service (SMS), making it a popular communication means for content provider-to-person usage. Yet little is known about ...

Keywords: network measurements, short message service, traffic char

13 [Beyond usability: the OoBE dynamics of mobile data services marke](#)[Lee Gilbert, Sunanda Sangwan, Mei Ian](#)

July 2005 Personal and Ubiquitous Computing , Volume 9 Issue 4


Publisher: Springer-Verlag

Full text available:  Pdf (369.19 KB)Additional Information: [full citation](#), [abstract](#), [r](#)

Bibliometrics: Downloads (6 Weeks): 5, Downloads (12 Months): 100, Citation

With processors imbedded in appliances, cars, books, and other retail products, mobile devices have entered the world of pervasive computing. Yet few consumers are able to use them and integrate them into everyday life. From this perspective, ...

Keywords: Design principles, Dynamic framework, Market segmentatic life cycle

14 [Behavioral detection of malware on mobile handsets](#) [Abhijit Bose, Xin Hu, Kang G. Shin, Taejoon Park](#)

June 2008 MobiSys '08: Proceeding of the 6th international conference on mobile systems, applications, and services


Publisher: ACM

Full text available:  Pdf (388.55 KB)Additional Information: [full citation](#), [abstract](#), [r](#)

Bibliometrics: Downloads (6 Weeks): 86, Downloads (12 Months): 535, Citation

A novel behavioral detection framework is proposed to detect mobile worms instead of the signature-based solutions currently available for use in mobile devices. It uses an efficient representation of malware behaviors ...

Keywords: machine learning, mobile handsets, security, worm detectic

15 [Full or tailored mobile web- where and how do people browse on the](#) [September 2008 Mobility '08: Proceedings of the International Conference on Mobile Computing, Applications, and Systems](#)

Publisher: ACM



Full text available:  Pdf (341.38 KB)Additional Information: [full citation](#), [abstract](#), [r](#)

Bibliometrics: Downloads (6 Weeks): 0, Downloads (12 Months): 0, Citation C

Mobile Internet is still a fairly new phenomenon and will be changing in the way that users of advanced phones can access full web sites and sites tailored for the mobile browsers. In addition to this, increasing number of ...

Keywords: cross-cultural, mobile applications, mobile browsers, mobile mobile services, user experience



16 [Taking hold of TV: learning from the literature](#)

 [Richard Harper, Tim Regan, Mark Rouncefield](#)
November 2006 OZCHI '06: Proceedings of the 18th Australia conference on Interaction: Design: Activities, Artefacts and Environments
Publisher: ACM
Full text available:  [Pdf](#) (253.38 KB) Additional Information: [full citation](#), [abstract](#), [bibliometrics](#)
Bibliometrics: Downloads (6 Weeks): 7, Downloads (12 Months): 81, Citation (

In this paper, we report the findings of a literature review into the experience of mobile TV, in particular multimedia experiences enabled over mobile phone networks. The review shows that there will be a niche ...

Keywords: ethnography, mobile TV, social experiences, sociology



17 [Feel who's talking: using tactons for mobile phone alerts](#)

 [Lorna M. Brown, Topi Kaaresoja](#)
April 2006 CHI '06: CHI '06 extended abstracts on Human factors in computing systems
Publisher: ACM
Full text available:  [Pdf](#) (343.89 KB) Additional Information: [full citation](#), [abstract](#), [bibliometrics](#)
Bibliometrics: Downloads (6 Weeks): 15, Downloads (12 Months): 111, Citation (

While the sense of touch is capable of processing complex stimuli, the way mobile phones is generally very simple. Using more complex vibrotactile communication of more information through phone alerts, ...

Keywords: mobile computing, mobile phones, non-visual interaction, touch


18 [Digital rights management in a 3G mobile phone and beyond](#)

 [Thomas S. Messerges, Ezzat A. Dabbish](#)
October 2003 DRM '03: Proceedings of the 3rd ACM workshop on Digital rights management
Publisher: ACM
Full text available:  [Pdf](#) (306.59 KB) Additional Information: [full citation](#), [abstract](#), [bibliometrics](#)
Bibliometrics: Downloads (6 Weeks): 20, Downloads (12 Months): 294, Citation (


In this paper we examine how copyright protection of digital items can be implemented on mobile phone and other devices. First, the basic concepts, strategies, and rights management are reviewed. Next, a framework for ...

Keywords: MPEG-21, copyright protection, cryptography, digital content management, embedded system, key management, mobile phone, open mobile alliance

19 [Peopletones: a system for the detection and notification of buddy presence](#)

 [Kevin A. Li, Timothy Y. Sohn, Steven Huang, William G. Griswold](#)
June 2008 MobiSys '08: Proceeding of the 6th international conference on mobile systems, mobile computing and services

Publisher: ACM

Full text available:  Pdf (1.69 MB)


Additional Information: [full citation](#), [abstract](#), [n](#)

Bibliometrics: Downloads (6 Weeks): 33, Downloads (12 Months): 258, Citatio

Mobile phones have the potential to be useful agents for their owners by situations that are of interest. Several challenges emerge in the case of know situations. Being alerted of these events ...

Keywords: context-aware systems, mobile computing, peripheral cues ubiquitous computing

20 [Personalization and choice behavior: the role of personality traits](#)

 [Shuk Ying Ho, Michael J. Davern, Kar Yan Tam](#)

October 2008 SI GMI S Database , Volume 39 Issue 4

Publisher: ACM

Full text available:  Pdf (463.13 KB)

Additional Information: [full citation](#), [abstract](#), [n](#)

Bibliometrics: Downloads (6 Weeks): 62, Downloads (12 Months): 168, Citatio

Online merchants use personalization technologies to gain knowledge of then generate preference-matched web content for the customer. Amor personalization technologies, this research focuses on personalization ..

Keywords: choice behavior, need for cognition, need for uniqueness, p seeking, web personalization

F

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2009 A

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real](#)